





CONTENTS

CUTTERS	03
TILE SAW, TILE CUTTERS, HOLE SAWS	
MIXING PADDLES	06
HAND TOOLS	07
SPONGES	11
KNEEPADS	12
SPACERS	14
TROWELS	17
FLOATS	19
CONSTRUCTION TOOLS	21
SCRAPERS	22

24" Professional Tile Saw



- Powerful 3450 RPM motor cuts the toughest marble, granite, stone, porcelain & masonry products, as well as all types of tile*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable tilting head offers quick and easy 45° to 90° miter cuts
- Plunge cutting for interior cut out of tile
- One year limited warranty

ACCESSORIES INCLUDED

- 10" continuous rim wet diamond blade
- Easy fold-out stand with 3" wheels
- High volume water pump (#60095)
- Side table pull-out extension
- 45° 90° angle/rip guide
- · Rear water tray
- 2 wrenches
- * for porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-1008BW)

SPECIFICATIONS

JI LUII ICATIUNS			
Item No	61024BR		
Motor	1-1/2 HP / 120 V ~ 60 Hz / 9.5 Amps		
Watts	1100		
RPM	3450		
Blade Capacity	10"		
Arbor	5/8"		
Rip Cut	24" Tile		
Diagonal Cut	18" Tile		
Depth of Cut	2-3/8"		
Size	40" L x 21.5" W x 48.3" H (w/stand)		
Weight	105.8 lbs. (w/stand)		







27" & 20" Big Clinker Tile Cutters



- Multipurpose cutter for most tile including ceramic and porcelain
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- · Durable chrome plated steel rails
- . Rip/Angle guide for fast multiple cuts
- · Heavy duty cast aluminum base

10800 27" Big Clinker Tile Cutter (1/cs)

Cuts tile up to 27", 20" diagonally, 1/2" thick

10500 20" Big Clinker Tile Cutter (1/cs)

Cuts tile up to 20", 16" diagonally, 1/2" thick
21123Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel

(1/cs)

24" Big Clinker Tile Cutter

BRUTUS



- Cuts wall and floor tile up to 24", 18" diagonally, 1/2" thick
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- · Heavy duty cast aluminum base
- Extra thick 3/8" padding

10600BR 24" Big Clinker Tile Cutter (1/cs)

21123Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel [1/cs]

20" Tile Cutter



- Cuts wall and floor tile up to 20", 14" diagonally, 1/2" thick
- Equipped with two replaceable 7/8 titanium-coated tungsten carbide cutting wheels
- . Heavy duty die cast aluminum base

10552BR 20" Tile Cutter (1/cs)

10117 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel

(3/cs)

10119Q 7/8" Tungsten Carbide Cutting Wheel (3/cs)

10117QC 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel

(3/cs) Only available in Canada

Diamond Drill Bit with Water Delivery System

BRUTUS



- Ideal for cutting holes when installing towel bars, soap dishes, shelves, cabinets and shower door frames
- Diamond Grit edge drills through ceramic, glass, marble, porcelain and granite
- Drill guide and water delivery system included (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks

82414BR 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

Diamond Hole Saw with Water Delivery System

BRUTUS



- For cutting 1-3/8" diameter holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts
- Included drill guide and water cooling cup easily supplies water to drill bit (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks

82413BR 1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)

Thinset and Grout Mixing Paddle

TILEFORCE



- Mixes grouts, thinsets and other setting materials with a minimum amount of air
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 23-1/2", blade width 8-1/4"

82422TF Thinset and Grout Mixing Paddle (6/cs)

Professional Mixing Paddle

BRUTUS



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 23-1/2", blade width 4-7/8"
- Chrome plated steel

82421BR PRO Mixing Paddle (6/cs)

Universal Mixing Paddle

TILEFORCE



- The special design of the blades takes the stress and high torque off the drill, excellent for cordless drills
- The optimal mixing tool for small volumes of thinsets, mortars, cement, plaster and similar viscous materials
- Fits standard 1/2" or 3/8" drill chuck
- Shaft diameter 3/8", length 16", blade width 3-1/4"
- Powder coated steel

82423TF Universal Mixing Paddle (12/cs)

Compound Tile Nipper

BRUTUS



- Compound mechanism delivers 3 times more force with less effort
- Use to make irregular cuts on all types of tiles, including porcelain
- Durable tungsten carbide tip provides a long cutting life

80035BR Compound Tile Nipper (6/cs)

Tile Nipper

TILEFORCE



- 8" carbide tipped nippers with offset jaws
- Ideal for cutting ceramic and porcelain tile
- 5/8" carbide tipped offset jaws and center spring

82418TF Tile Nipper (12/cs)

Glass Tile Nipper

BRUTUS



- Cuts glass from 1/32" to 1/4" in thickness
- Ideal for quickly cutting small mosaic pieces of glass and removing tiny points from glass tile

82432BR Glass Tile Nipper (6/cs)

China Markers

TILEFORCE



- For marking non-porous materials including glazed tile, glass, metal, or plastic
- Moisture resistant holds mark when wet
- Easily wipes away when finished

82406TF China Markers (2/pk) (12/cs)

Tile & Stone File

BRUTUS



- Extra wide 1" x 7-3/4" carbide dual grit filing surfaces
- Fine grit for minor smoothing, coarse grit for smoothing harder surfaces
- . Smooths and shapes marble, stone and ceramic tile edges
- Also good for use on saltillo tile
- · Comfort grip handle

82404 Tile & Stone File (6/cs)

Rubbing Stone

TILEFORCE



- Dual grit surfaces smooth rough edges on freshly cut ceramic & porcelain tile, stone, marble and brick
- Medium 60-grit on one side and fine 80-grit on the other
- Great for dressing diamond blades

82426TF Rubbing Stone (6" x 2" x 1") (6/cs)

Suction Cup

BRUTUS



- For easy handling of non-porous tile, marble and glass during installation
- Holds up to 12 lbs.
- Suction cup pad is 4-1/2" in diameter
- 3-1/2" wide handle opening easily accommodates large hands

82427BR Suction Cup (3/cs)

10" Contour Gauge

TILEFORCE



- Duplicates any shape for easy ransfer to tile and other surfaces
- Durable plastic teeth will not rust

82427 10" Contour Gauge (6/cs)

Tile Mallet

BRUTUS



- 16 oz. premium non-marring head
- Lifetime warranted fiberglass handle twice as strong as wood
- Softer mallet head designed specially for tile installations
- Comfort grip non-slip handle helps reduce hand fatigue
- Unique roll pin design prevents head from detaching, extending life of mallet
- 12-1/2" in length, 2" diameter rubber head

80620BR Tile Mallet (6/cs)

Pro Grout Saw

BRUTUS



- Curved heavy duty carbide blades easily remove stubborn grout
- Specially designed handle design provides control and leverage

82400BR Grout Saw (12/cs)

82428 Replacement Grout Saw Blade Set (1 grit edge/1 steel) (6/cs)

Grout Saw

TILEFORCE



- For stripping, cleaning and removing old grout
- Equipped with: 1 carbide grit edge and 1 steel tooth blade
- Use 2 blades for floor grout removal, 1 steel blade for walls

82401TF Grout Saw (12/cs)

82428 Replacement Grout Saw Blade Set (1 grit edge/1 steel) (6/cs)

Grout Remover

TILEFORCE



- For removing unwanted grout, mortar, thinset, calcium, caulking and surface rust
- Durable carbide tips are reversible, providing six scraping edges for longer tool life
- Ergonomic comfort grip handle

82402TF Grout Remover (6/cs)

Pro Grout Brush

BRUTUS



- . Thick, durable nylon bristles clean in corners and grout lines
- Curved handle design allows for cleaning in hard-to-reach places
- 7" long

82407BR Pro Grout Brush (12/cs)

Tile & Counter Brush

BRUTUS



- Solvent resistant bristles that are ideal for cleaning tiles and work areas
- Split-topped bristles brush away even the finest particles
- Scratch-free soft bristles
- 7" x 3" x 1.5" brush head

60315BR Tile & Counter Brush (6/cs)

Grout Sealer Applicator

TILEFORCE



- Includes (2) roller wheels for multiple grout widths: Use 1/8" wheel for grout joints 1/8" and smaller Use 1/4" wheel for grout joints 1/4" and larger
- Works with all grout sealers
- Patented roller wheel system provides complete coverage
- Holds 12 oz. (355 ml)

82424TF Grout Sealer Applicator (12/cs)

Microfiber Polishing Sponge

BRUTUS



- · Microfiber side ideal for cleaning grout, applying sealer and polishing tile
- Sponge side is great for washing and polishing cars, boats, countertops and furniture
- 7-1/2" x 5-1/2" x 2"

81010BR Microfiber Polishing Sponge (24/cs)

Scrubbing Sponge

BRUTUS



- Professional hydrophiliated grout sponge on one side and scrubbing sponge on the other creates dual usage
- Rounded edges minimize "digging out" or marring of grout
- 7-1/2" x 5-1/4" x 1.875"

82701BR-36 Grout Sponge & Haze Remover, Individually bagged

82701BR-144 Grout Sponge & Haze Remover, Individually bagged in dump display (144/cs)

Heavy Duty All-Purpose Sponge

BRUTUS



- . Professional extra large premium sponge for grouting and clean up
- · Unique hydrophiliated design provides high water holding capacity
- Rounded edges minimize "digging out" or marring of grout
- 7-1/2" x 5-1/2" x 1.875"

82700BR-36 Grout & Concrete Sponge, Individually bagged (36/cs) 82700BR-144 Grout & Concrete Sponge, Individually bagged in dump display (144/cs) 82700BR-3D Grout & Concrete Sponge, Value 3 Pack in dump display

(48/cs)

Microfiber Grout Cleaning Cloth

BRUTUS



- · Virtually eliminates grout haze
- · Heavy duty 325 gram contractor grade, double sided
- · Excellent for general purpose cleaning

81018BR Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)

Professional Knee Pads

BRUTUS



- Extra large area offers maximum protection
- · Comfort form-fitting foam padding
- Soft perspiration wicking fabric next to knee for maximum absorption
- Fast drying

85650BR Pro Fit Knee Pads (4/cs)

XL Pro Fit Plus Knee Pads

BRUTUS



- Premium cushioning with deluxe form-fitting padding
- Exceptional cushioning and shock-proof, form-fitting padding for all day comfort
- Extra-large size for full knee protection
- Fast-drying neoprene is lightweight, durable and machine washable

79673BR XL Pro Fit Plus Knee Pads (4/cs)

Maxflex Knee Pads

BRUTUS



- Non-scratch, non-skid outer shell
- · All day comfort
- · Adjustable straps fit all sizes

79638BR MAXFLEX Knee Pads (6/cs)

Comfort Grip Non-Slip Knee Pads

BRUTUS



- Textured slip and mar resistant face Perfect for hard floor surfaces including tile, wood and vinyl
- Comfort form-fitting foam padding
- Soft perspiration wicking fabric next to knee for maximum absorption
- . Easy on and off adjustable no hassle plastic buckle
- Non-binding single strap will not pinch during extended wear

85630BR Comfort Grip Non-Slip Knee Pads (12/cs)

Contour Knee Pads

BRUTUS



- · Cradles knee for maximum comfort
- Easy on-off velcro strap
- For hard or soft surfaces
- Washable

79637BR Contour Knee Pads (12/cs)

Foam Knee Pads

TILEFORCE



- · Thick molded foam for comfort
- · Lightweight and waterproof
- For hard or soft surfaces
- Velcro® strap for secure fit

79635TF Foam Knee Pads (12/cs)

Heavy Duty Multipurpose Gloves

TILEFORCE



- Protects hands from the corrosive action of grout, chemicals and other harsh substances
- 100% heavy duty latex is puncture and tear resistant
- One size fits all
- Non-slip ribbing on thumb and finger surfaces

82430TF Heavy Duty Multipurpose Gloves (24/cs)

Grout Bag

TILEFORCE




- · Reinforced tip for smooth application and long life
- Protects hands from grout and other harsh substances
- . Made of puncture and tear resistant coated vinyl

82408TF Grout Bag (12/cs)

LASH® Tile Leveling System

BRUTUS





A + B for 3/16 in. to 7/16 in. tile







For perfect tile-to-tile leveling

The patented LASH® Tile Leveling Clips system is designed for quick installation and reduces costly call backs by insuring that the finished floor surface is lippage-free.

This time-saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.


- Durable nylon construction for a secure installation
- High-visibility yellow wedges are easy to distinguish on the job site
- Specially designed break-off point on clips for swift removal
- Produces 1/16" joint spacing
- May be combined with regular tile spacers for wider joints - up to 1/4"
- Wedges are reusable

Advantages to the installer:

- · Very easy to learn and use at any skill level
- · Great for use with tiles of varied thickness
- Requires minimal effort to install and remove
- Virtually eliminates lippage
- Prevents tile from moving during the installation
- Speeds up installations
- Less time at the job = more jobs in one day = more profit
- · Decreases call-backs due to poor installation

87720BR LASH® Clips, Bag 96 Qty (8/cs) 87725BR LASH® Wedges, Bag 96 Qty (8/cs)


Watch a demonstration video at: www.lashspacer.com




BULLS•EYE 2-in-1 Tile Spacers

BRUTUS







Spacer wings fit perfectly on corner and angle applications!



Two Spacers In One!
Offers the option of two different grout joint widths





Bulls•Eye Spacers are an economical and user-friendly solution for creating evenly spaced grout joints. The unique, patented design keeps the spacers out of the thinset and provides a clear view of grout lines and corners.

One Spacer does the job of four traditional spacers thus reducing the amount of total spacers needed for each job.

Each bag of Spacers comes with 100 spacer rings and 50 miniwing spacers for use on corners along walls and angles. These spacers are easy to remove, reusable and perfect for floor and wall tile applications.

These spacers provide an unobstructed view of grout lines for dead on accuracy.

- · Helps install tiles quickly and precisely
- One replaces four conventional style spacers
- Open center design allows the installer to instantly align tile corners

87067BR 1/16" & 3/16" BULLS•EYE, Bags (8/cs) 100 Spacers & 50 Spacer Wings

87068BR 1/8" & 1/4" BULLS•EYE, Bags (8/cs)

100 Spacers & 50 Spacer Wings

Leave-In Tile Spacers

BRUTUS





- · Leave-In design reduces installation time
- Works great on large format tiles rigid plastic will not compress
- Easy to handle, extra long prongs assure perfect 90° grout corners

99803BR	1/16" Tile Spacers, Bag	300 Qty	(24/cs)
99806BR	1/16" Tile Spacers, Jar	1000 Qty	(8/cs)
99804BR	1/8" Tile Spacers, Bag	200 Qty	(24/cs)
99807BR	1/8" Tile Spacers, Jar	1000 Qty	(8/cs)
99805BR	3/16" Tile Spacers, Bag	100 Qty	(24/cs)
99808BR	3/16" Tile Spacers, Jar	500 Qty	(8/cs)

Horseshoe Shims

BRUTUS



- Non compressive
- Ideal for marble, granite, stone, large format tiles and vertical installations.
- Allows user to lift both corners and align the joints from tile to tile

99800BR	1/16" Horseshoe Shims, Tub	200 Qty	(12/cs)
99801BR	1/8" Horseshoe Shims, Tub	150 Qty	(12/cs)
99802BR	3/16" Horseshoe Shims, Tub	100 Qty	(12/cs)

Tile Spacers

BRUTUS





- Precision cut for accuracy
- Evenly space tiles for uniform grout lines
- Provide quick, professional looking results
- Works with all sizes of ceramic tile, porcelain, stone and marble

82001BR	1/16" Tile Spacers, Bag	250 Qty	(24/cs)
82011BR	1/16" Tile Spacers, Bag	1000 Qty	(12/cs)
82002BR	1/8" Tile Spacers, Bag	250 Qty	(24/cs)
82006BR	1/8" Tile Spacers, Bag	1000 Qty	(12/cs)
82004BR	3/16" Tile Spacers, Bag	200 Qty	(24/cs)
82008BR	3/16" Tile Spacers, Bag	500 Qty	(12/cs)
82005BR	1/4" Tile Spacers, Bag	200 Qty	(24/cs)
82007BR	1/4" Tile Spacers, Bag	400 Qty	(12/cs)
82003BR	3/8" Tile Spacers, Bag	100 Qty	(24/cs)

Wedge Tile Spacers

BRUTUS





- Crucial for achieving a level first row of wall tile
- Ideal for maintaining level horizontal grout lines during installation
- Avoids tile slippage on vertical surfaces will not compress
- Can be used for up to 1/8" (3mm)

82010BR Wedge Tile Spacers, Bag 500 Qty (12/cs)

Comfort Grip Stainless Steel Notched Trowels	Wood Handle Notched Trowels	Economy Notched Trowels
		made in USA
Rustproof stainless steel blade Large, contoured and cushioned grip handles for comfort High quality 11" x 4-1/2" trowel designed for the professional Durable 230mm zinc die-cast shank Extra handle-to-shank clearance to allow for complete hand rotation Longer shank with 9 rivets. First and last rivet reinforced and welded No. in case 12	Hardened and tempered steel blade, grounded and polished for long lasting durability Large wooden handle for an easy grip Quality trowel measuring 11" x 4-1/2" designed for the professional installer Aluminum die-cast shank Some notches available in 16" lengths 11" Trowels: No. in case 12 16" Trowels: No. in case 6	 Hard, cold-rolled steel blade for longer wear High-impact black plastic handle Quality trowel measuring 9" x 4" No. in case 30 Unless noted as -12

For Tile, Marble and Stone

Notch Size	Application	Brand	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
3/16" x 5/32" V	6" x 6" or smaller and	BRUTUS	82144BR	82125BR	
^^^^	mosaics on drywall	TILEFORCE			82104TF
1/4" x 3/16" V	For ceramic, metal & aluminum wall tile 6" x 6" up to 12" x 12"	BRUTUS	82143BR	82123BR	
		TILEFORCE			82102TF
1/4" x 1/4" x 1/4" SQ	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood	BRUTUS	82142BR	82122BR	
	plank flooring, flat milled solid & shorts or plywood	TILEFORCE			82100TF
1/4" x 3/8" x 1/4" SQ	Thinset application of ceramic tile 8" x 8" up to 16" x 16"	BRUTUS	82140BR	82120BR	
		TILEFORCE			82101TF
1/2" x 1/2" x 1/2" SQ	Thinset or medium bed mortar application of natural stone, quarry tile,	BRUTUS	82141BR	82124BR	
	pavers, saltillo and ceramic tiles 12" x 12" and larger	TILEFORCE			82103TF
3/4" x 9/16" x 3/8" U	Thinset or medium bed mortar applcation of natural stone, quarry tile, pavers, saltillo and ceramic tiles 12" x 12" and larger	BRUTUS	82145BR		

Margin Trowel

BRUTUS



- For patch jobs, hard-to-reach areas and spreading thinset on v-cap or bullnose tile
- Cushion grip handle for comfort

82128BR 5" x 2" V-Notch Margin Trowel 1/4" x 1/4" (12/cs)

Pointing Trowel

BRUTUS



• For patching cracks and shaping joints in brick, stone and concrete walls

82126BR 5-1/2" Pointing Trowel (12/cs)

Gum Rubber Grout Float

BRUTUS



- Non-stick gum rubber ensures smooth application
- 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints
- Premium gum rubber laminated to lightweight, closed cell core is built to last

82202BR Gum Rubber Grout Float, Comfort Handle, 9-1/2" x 4" (12/cs) 82203BR Gum Rubber Grout Float, Comfort Handle, 12" x 4" (6/cs)

Offset Grout Float

BRUTUS



- Non-stick gum rubber ensures smooth application
- 2- rounded corners prevent gouging of grout joints
- 2- square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints. Ensures smooth application in those hard-to-reach areas

82207BR Offset Grout Float 12" x 3" (6/cs)

Epoxy Grout Float

BRUTUS



Green pad with beveled sides resists epoxy grouts and other sticky materials

82205BR Epoxy Grout Float 9-1/2" x 4" (12/cs)

Molded Rubber Grout Float

BRUTUS



Completely molded rubber pad prevents absorption of materials

82201BR Molded Rubber Grout Float 9-1/2" x 4" (12/cs)

Economy Rubber Grout Float

TILEFORCE



 High-impact plastic handle with closed cell foam rubber pad for a smooth application

82200TF Economy Rubber Grout Float 9" x 4" (24/cs)

Margin Float

BRUTUS



- Ideal for hard-to-reach areas such as kitchen backsplashes or under bath and kitchen counters
- 6" x 2"

82208BR 6" Margin Float, Comfort Grip (12/cs)

Cement Board Screws

TILEFORCE



- For use in the attachment of Durock®, Wonderboard® and HardieBacker® cement board
- No pre-drilling necessary
- Corrosion resistant coating
- Wafer head with ribbed countersinking profile for flush seating

82605TF 1-1/4" - # 8 High Low Cement Board Screws,

200 screws/pkg (12/case)

82606TF 1-1/4" - # 8 High Low Cement Board Screws,

800 screws/pkg (8/case)

82607TF 1-5/8" - # 8 High Low Cement Board Screws,

150 screws/pkg (12/case)

82608TF 1-5/8" - # 8 High Low Cement Board Screws,

600 screws/pkg (8/case)

Board Seam Tape

TILEFORCE



- For use in seaming all types of cement backerboard and tile underlayment
- Alkali resistant fiberglass mesh, self-adhesive tape reduces taping time
- · Resists tears and will not shrink

82433 Board Seam Tape - 2" x 50' roll (24/cs) 82434TF Board Seam Tape - 2" x 300' roll (24/cs)

Undercut Saw

TILEFORCE



- 10-point aggressive tooth design for faster, cleaner cuts
- · High-carbon steel blade for added strength
- Ideal for undercutting door jambs
- Ergonomic comfort grip handle

82403TF Undercut Saw (6/cs)

14" Surface Scraper

TILEFORCE



- Flexible 14" blade helps remove old floors and cleans up excess debris
- 5' long handle and flex blade made of premium quality carbon steel offer long-lasting durability

82900TF 14" Surface Scraper with Blade (6/cs) 82901TF 14" Replacement Blade (3/cs)

12" Super Scraper

BRUTUS



- Lifetime warranty reinforced fiberglass handle
- · Removes tile, wood, laminate, adhesive, stone and carpet
- Resharpens quickly with file or grinder No replacement blade necessary

82995BR 12" Super Scraper (3/cs)

Reversible Scraper

BRUTUS



- Great for removing tile, wood, laminate, stone, carpet, ice and roofing
- Unique reversible hardened steel blade can easily be converted from 5" to 3" wide (ideal for scraping in tight areas)
- Resharpenable hard steel (use file or grinder)
- Galvanized steel ergonomic handle reduces fatigue

82910BR Reversible Scraper (3/cs)

7" Heavy Duty Floor Scraper

BRUTUS



- Thick, professional high-carbon steel 7" blade scrapes up concrete, marble, ceramic tile and wood floors
- All welded construction made of pipe steel with a replaceable rigid blade
- Rips up roofing, asphalt, tile and chips away cement and plaster
- 4' long handle includes foot peg for better leverage on difficult projects
- · Great for ice removal

89006BR 7" Heavy-Duty Floor Scraper with Blade (6/cs)

89007BR 7" Replacement Blade (3/cs)

8" Adjustable Razor Floor Scraper

TILEFORCE



- Twist lock adjustable telescoping handle adjusts from 3' to 6' in length
- Removes old tile, adhesive, vinyl, carpet and other floor covering materials
- Deluxe cushioned grip handle provides added comfort
- 15° angled 8" blade head for ease of comfort when scraping
- · Canvas blade guard included

82905TF 8" Adjustable Razor Floor Stripper (6/cs)
82903 8" Replacement Blade (3 on a skincard) (10/cs)

4" Razor Scraper

TILEFORCE



- Scrapes residue off subfloors, windows and walls
- · Great for wallpaper removal
- · Complete with 4" blade

82904TF 4" Razor Scraper (12/cs)

82902TF 4" Razor Scraper Replacement Blades

(5 on a skincard) (6/cs)

Chisel Scraper

BRUTUS



- 3" stainless steel blade
- Multi-functioning tool ideal to remove debris, adhesive and residue from most surfaces
- · Hammer end for quick strike use on stubborn material

89970BR Chisel Scraper (6/cs)



1001 Broken Sound Parkway, NW | Suite A Boca Raton, Florida 33487

www.qepcorporate.com

www.BrutusProducts.com

For more information call 866-435-8665